



EQUIPMENT

## ICE MACHINE PBCU225



Shown on storage bin (Included)

### Ice Form



**CUBE**

#### FULL CUBE DIMENSIONS

W x D x H (in.)	7/8 x 7/8 x 7/8
W x D x H (mm)	22 x 22 x 22

#### HALF CUBE DIMENSIONS

W x D x H (in.)	3/8 x 7/8 x 7/8
W x D x H (mm)	10 x 22 x 22

### STANDARD FEATURES

- Ice production per 24 hours : 211 lbs (95.71 Kg)
- Corrosion proof 304 stainless steel inside and out
- Equipped with energy efficient durable compressor
- Compatible with standard industry dispensers and bins
- Uses R-404A, an approved, non-ozone depleting refrigerant
- Air cooled condenser
- Modular design; does not include bins
- Harvest assist provides consistent ice production for the life of the ice maker while reducing energy consumption and increasing capacity
- Includes a built-in antimicrobial- protection system for the life of the ice maker inhibits bacteria growth on ice maker surfaces. Our optional water filtration system provides protection against unpleasant tastes, odors and scale formation
- Warranty: Five years parts coverage on evaporator and compressor. Three years parts coverage on remainder of machine, made in USA

### AVAILABLE MODELS

- Full cube option PBCU225FA1
- Half cube option PBCU225HA1



# ICE MACHINE PBCU225

## Technical Data

Ice production at 70°F air/ 50°F water	211 lbs (95.71 Kg)
Ice production at 90°F air/ 70°F water	143 lbs (64.86 Kg)
Water usage at 90°F air/ 70°F water	32.7 Gallons per 100 lbs of ice
KWH usage at 90°F air/ 70°F water	8.8 KWH
Electrical	220-240/50/1    4.9A
BTU usage	3.774 BTU/hr.
Housing/Material	Corrosion proof 304 stainless steel
Temperature range	39.92°F-109.4°F (4.4°C-43°C)
Machine dimensions	667 mm x 623 mm x 991 mm (26.26" x 24.53" x 39.02")
Shipping weight	160.94 lbs (73 Kg)

## Detail & Dimensions

- A. Ice maker water in,  $\frac{3}{8}$ " FPT.
- B. Bin and ice maker drain,  $\frac{3}{4}$ " FPT.
- C. Hole for electrical connections,  $\frac{7}{8}$ " (Cord on 115V).
- D. Condenser water in,  $\frac{3}{8}$ " FPT (water cooled units only).
- E. Condenser water out,  $\frac{1}{2}$ " FPT (water cooled units only).



As continued product improvement is a policy of Powerline, specifications are subject to change without notice.



## POWERLINE EQUIPMENT COMPANY

Pulaski Street, Norwalk, CT 06851 USA. Tel: 203-847 2357 Fax: 203-847 6480

[www.powerlineequip.com](http://www.powerlineequip.com)